			H·6
Notice of Allowability	Application No.	Applicant(s)	•
	10/806,884	FACKERT, RAINER	
	Examiner	Art Unit	
	Marcus H. Taningco	2884	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>amandment filed 9/19/05</u> .			
2. The allowed claim(s) is/are <u>1-4,6-17 and 19-22</u> .			
 3.			
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF			
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of 			
Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	atent Application (PT)	O-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),	3 .02,
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 8), 7. Examiner's Amendr		
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allo	wance
of Biological Material	9. Other		

Application/Control Number: 10/806,884 Page 2

Art Unit: 2884

DETAILED ACTION

Response to Amendment

Amendments filed 9/19/05 have been entered. Claims 1-4, 6-17, and 19-22 are subject to

examination herein.

Allowable Subject Matter

Claims 1-4, 6-17, and 19-22 are allowed.

The following is an examiner's statement of reasons for allowance:

Re claim 1, prior art discloses a method according to claim 1 but fails to recite the

limitation wherein the second measuring device projects a line perpendicular to the longitudinal

direction with which the shape and spatial location of the material strip along the line is

determined.

Re claim 15, prior art discloses a method wherein the second measuring device exhibits a

laser projection device, but fails to specify the limitation wherein the second measuring means

exhibits a camera for the acquisition of a projected line in a pixel matrix.

Any comments considered necessary by applicant must be submitted no later than the

payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

Application/Control Number: 10/806,884

Art Unit: 2884

Response to Arguments

Applicant's arguments, filed 9/19/05, with respect to claims 1-4, 6-17, and 19-22 have

been fully considered and are persuasive. The rejection of claims 1-4, 6-17, and 19-22 has been

withdrawn.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure. Hold (US 4,542,297) discloses an apparatus for measuring profile thickness of strip

material.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Marcus H. Taningco whose telephone number is (571) 272-1848.

The examiner can normally be reached on M - F 9:00 - 5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Dave Porta can be reached on (571) 272-2444. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MT

DAVID PORTA

Page 3

SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2800